

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

Claims 1-3. (Canceled)

4. (Currently Amended) A composition comprising the carboxamide (1-1) *N*-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide and at least one triazole selected from the group consisting of

(3-3) propiconazole,

(3-12) epoxiconazole,

(3-15) ~~prothioconazole~~,

(3-17) tebuconazole, and

(3-21) bitertanol,

in a ratio of 20:1 to 1:20 of carboxamide to triazole.

Claims 5-12. (Canceled)

13. (Previously presented) A method for controlling unwanted phytopathogenic fungi, comprising applying the composition according to Claim 4 to the unwanted phytopathogenic fungi and/or their habitat.

14. (Previously presented) A process for preparing fungicidal compositions, comprising mixing the composition according to Claim 4 with extenders and/or surfactants.

Claims 15-16. (Cancelled)

17. (Previously presented) A composition according to claim 4, wherein the carboxamide and triazole are present in a synergistic ratio.

18. (Previously presented) A composition according to claim 4, wherein the carboxamide and triazole are present in a 1:1 ratio.

19. (New) A composition comprising the carboxamide (1-1) *N*-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide and (3-15) prothioconazole in a ratio of 10:1 to 1:20 of carboxamide (1-1) to (3-15) prothioconazole.

20. (New) A method for controlling unwanted phytopathogenic fungi, comprising applying the composition according to Claim 19 to the unwanted phytopathogenic fungi and/or their habitat.

21. (New) A process for preparing fungicidal compositions, comprising mixing the composition according to Claim 19 with extenders and/or surfactants.

22. (New) The composition according to claim 19, wherein the carboxamide (1-1) and (3-15) prothioconazole are present in a synergistic ratio.

23. (New) The composition according to claim 19, wherein the carboxamide (1-1) and (3-15) prothioconazole are present in a 1:1 ratio.